


**FIXIERSYSTEME** 

# Maximum modularity for optimum application flexibility

### SCHIENENFIX - the fixating system for multi-sensor metrology equipment

Versatile system modules for optical metrology machines, multi-sensorial equipment, measuring projectors and measuring microscopes. The basis is a modular toothed rail system, which supports the fixating elements directly or via a quick-change pallet system. As an option rigid or adjustable structural elements can be mounted in between to optimally position the test specimens in 3D space. The fine-toothed precision rails make objects with straight edges very easy to measure in transmitted light. The exchangeable pallets enable the set-up outside the measuring machine and the zero point support on the measuring device for a simple and fast measuring process, especially when used close to production.



Order number **269977** 




Order number **269977\_W02** 

## Clamping device sets for Werth ScopeCheck S

A basic rail configuration precisely matched to the equipment and two sets of fixating elements form the basis for the perfect alignment and fixing of many different parts. The modular clamping system from dk solves clamping requirements, as flexibly as the ScopeCheck S fulfills different measuring tasks. The measuring device is designed for measuring turned, milled, injection moulded, punched and formed parts and the basic equipment sets are also designed for this purpose. dk supports near-production measuring with the quick-change pallet: set-ups outside the measuring machine are used to achieve maximum performance by minimising unproductive machine times and simplifying the overall process. For special part geometries many additional clamping elements which are 100% compatible with these basic sets can be found in the dk main catalogue with over 1,000 products.



### Basic fixation set for turned parts



SCHIENENFIX basic rail		450 mm
Description	Quantity	Order No.
1 side fine toothed (5 mm) system rail with T-slot	1	345420
SCHIENENFIX connecting rail		200 mm
Description	Quantity	Order No.
4 side fine toothed (5 mm) system rail with T-slot	1	346020
SCHIENENFIX connecting rail		100 mm
Description	Quantity	Order No.
3 side fine toothed (5 mm) system rail with T-slot	1	347220
T-connector for toothed rails		
Description	Quantity	Order No.
Connecting piece for toothed rails with T-slot	2	348000
Clamping claws 35 mm		
Description	Quantity	Order number
For clamping the toothed rails to the Werth ScopeCheck S	3	262916
Spring finger for horizontal clamping, left		
Description	Quantity	Order No.
35 mm	1	349100
50 mm	1	349300
Spring finger for horizontal clamping, right		
Description	Quantity	Order No.
35 mm	1	349200
50 mm	1	349400
Square columns for spring fingers		

### Basic fixation set for turned parts Order number: 269977\_W01

Movable and self-locking in a T-slot

Description Quantity Order No.

4

268500

345801

Basic pallet 305x100x10 mm with T-slot and M6 hole for supporting various fixating elements. The pallets together with the clamping elements can be aligned and clamped on the toothed rails



Pair of tailstocks for T-slots in toothed rails and pallets

Description	Quantity	Order No.
Can be mounted at any distance apart; with one fixed and one movable centre; incl. centres	1	349600
012 / 60 mm, can be exchanged for other sizes and types	I	349000



### Basic fixation set for turned parts (continued) Order number: 269977\_W01

#### Prism support set for T-slots in toothed rails and pallets

Description	Quantity	Order No.
Can be mounted any distance apart; one prism is height-adjustable for precise horizontal alignment of stepped shafts; for Ø 8 to 28 mm; incl. columns and spring fingers	1	345100



V-block 120° with spring finger

Description	Quantity	Order No.
120° V-block with spring finger for holding rotationally symmetrical parts with a spring finger; for vertical and horizontal positioning of test pieces	1	267900
Matching prism holder	1	267910



#### Basic fixation set for milled, moulded, punched and formed parts Order number: 269977\_W02

SWA39 Quick-action clamp for toothed rails and pallets

Description	Quantity	Order No.
For mounting in T-slots of toothed rails and pallets	1	273320



SWA39 Quick-action clamp 90° angle element

Description	Quantity	Order No.
For adaption to the SWA39 quick-action clamp	1	283300



50 mm precision vice

Description	Quantity	Order No.
With SWA39 interface. Incl. adjustable stop, clamping width extension from 35 to 75 mm and pins for raised part positioning	1	282100



Quick-change pallet with view window 200x72 mm

Description	Quantity	Order No.
Basic pallet 305x100x10 mm with T-slot and M6 hole for supporting various fixating elements. The pallets, together with the clamping elements can be mounted and clamped on the toothed		345801
rails		



Rotary unit with fine adjustment and indexing

Description	Quantity	Order No.
Infinite rotation, incremental locking every 30° can be activated, interface for all clamping	1	314900
elements with SWA5 adapter such as small part holder and small chuck		311700



Small-parts clamp with stepped jaw

Description	Quantity	Order No.
Fixation of small parts by spring tension; SWA5 adaption	1	266100





The digital version of our catalogue is available here: www.dk-fixiersysteme.de



#### dk FIXIERSYSTEME GmbH & Co. KG

Ferdinand-Lassalle-Strasse 35 72770 Reutlingen, Germany

Tel. +49 (0) 7121 90 97 10 Fax +49 (0) 7121 90 97 120 www.dk-fixiersysteme.de info@dk-fixiersysteme.de

modular. simple. better.



# The entire world of fixating, clamping and positioning.

















The basic principle of all dk fixturing systems: "Fast Reassembly Lifelong"

Our modular fixtures can effortlessly be disassembled and precisely reassembled at any time. The compatibility of the fixturing systems make the utility value perfect.